Author Index

Abad, C., see Bañó, M. C. 105
Aguilar, M. I., see Hearn, M. T. W. 27, 45
Antonucci, V. L., see Shelly, D. C. 267
Baba, Y.
——, Fukuda, M. and Yoza, N.
Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 385
Babashak, J. V., see Phillips, T. M. 185
Baehr, D. N., see Szczerba, T. J. 281
Bañó, M. C.
——, Braco, L. and Abad, C.
New high-performance liquid chromatography-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 105
Barford, R. A.
——, Kumosinski, T. F., Parris, N. and White, A. E.
Salt-binding effects in hydrophobic-interaction chromatography 57
Bartha, Á.
——, Billiet, H. A. H. and De Galan, L.
Practical optimization of the separation of a limited subset of components by using isoeluotropic ternary eluent mixtures in reversed-phase high-performance liquid chromatography 371
——, see Schoenmakers, P. J. 355
Bass, J. L., see Sagliano, Jr., N. 225
Benedek, K.
Thermodynamics of α-lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 93
Berridge, J. C., see Wright, A. G. 335
Billiet, H. A. H., see Bartha, Á. 371
Black, J. A., see Mant, C. T. 193
Blain, R. W., see Kaliszan, R. 395
Braco, L., see Bañó, M. C. 105
Broek, H. H., van den, see Kootstra, P. R. 175
Brownlee, R. G., see Kasper, T. J. 303
Burke, T. W. L., see Mant, C. T. 193
Chmielinska, J. J., see Phillips, T. M. 185
Cohen, A. S.
——, Najarian, D., Smith, J. A. and Karger, B. L.
Rapid separation of DNA restriction fragments using capillary electrophoresis 323
Corradini, D.
——, El Rassi, Z., Horváth, Cs., Guerra, G. and Horne, W.
Combined lectin-affinity and metal-interaction chromatography for the separation of glycophorins by high-performance liquid chromatography 1
Covey, T. R., see Lee, E. D. 313
Czok, M., see Engelhardt, H. 79
Dadoo, R., see Miller, C. 255
Dalton, T. J., see Shelly, D. C. 267
De Galan, L., see Bartha, Á. 371
De Vijlder, J. J. M., see Kootstra, P. R. 175
Diez, L. P., see Montalvo, B. C. 217
Edkins, T. J., see Shelly, D. C. 267
El Rassi, Z., see Corradini, D. 1
Engelhardt, H.
——, Czok, M., Schultz, R. and Schweinheim, E.
Sample size and retention values in high-performance liquid chromatography of biological and synthetic polymers 79
Fell, A. F., see Wright, A. G. 335
Frantz, S. C., see Phillips, T. M. 185
Fukuda, M., see Baba, Y. 385
Galan, L., de, see Bartha, Á. 371
Glunz, L. J., see Szczerba, T. J. 281
Goewie, C. E., see Kootstra, P. R. 175
Gorse, J., see Miller, C. 255
Gozel, P., see Kasper, T. J. 303
Guerra, G., see Corradini, D. 1
Hartwick, R. A., see Kaliszan, R. 395
——, see Sagliano, Jr., N. 225
Hearn, M. T. W.
——, Hodder, A. N. and Aguilar, M. I.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 27
——, Hodder, A. N. and Aguilar, M. I.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 45.
Henion, J. D., see Lee, E. D. 313
Hodder, A. N., see Hearn, M. T. W. 27, 45

Hodges, R. S.
——, Parker, J. M. R., Mant, C. T. and Sharma, R. R.
Computer simulation of high-performance liquid chromatographic separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 147
——, see Mant, C. T. 193
Hogendoorn, E. A., see Kootstra, P. R. 175
Holdoway, M. J., see Szczerba, T. J. 281
Horne, W., see Corradini, D. 1
Hornillos, R. C. I., see Montalvo, B. C. 217
Horváth, Cs., see Corradini, D. 1
——, see Várady, L. 207
Jaulmes, A., see Vidal-Madjar, C. 13
Kalghatgi, K., see Várady, L. 207
Kaliszan, R.
——, Petrusewicz, J., Blain, R. W. and Hartwick, R. A.
Determination of hydrophobicity parameters on polybutadiene-coated alumina and their application in quantitative structure–activity relationships analysis 395
Karger, B. L., see Cohen, A. S. 323
Kasper, T. J.
——, Melera, M., Gozel, P. and Brownlee, R. G.
Separation and detection of DNA by capillary electrophoresis 303
Koeplinger, K. A., see Pinkerton, T. C. 129
Kooser, R. G., see Miller, C. 255
Kootstra, P. R.
——, Van den Broek, H. H., Hogendoorn, E. A., Goewie, C. E. and De Vijlder, J. J. M.
Automated high-performance liquid chromatographic method for the determination of iodotyrosines and iodothyronines 175
Kumosinski, T. F., see Barford, R. A. 57
Landes, J. P., see Singhal, R. P. 117
Lee, E. D.
——, Mück, W., Henion, J. D. and Covey, T. R.
On-line capillary zone electrophoresis–ion spray tandem mass spectrometry for the determination of dynorphins 313
Little, M. C., see Matson, R. S. 67
Mant, C. T.
——, Burke, T. W. L., Black, J. A. and Hodges, R. S.
Effect of peptide chain length on peptide retention behaviour in reversed-phase chromatography 193
——, see Hodges, R. S. 147
Matson, R. S.
—— and Little, M. C.
Strategy for the immobilization of monoclonal antibodies on solid-phase supports 67
Matsutani, S., see Sano, A. 295
Melera, M., see Kasper, T. J. 303
Miller, C.
——, Dadoo, R., Kooser, R. G. and Gorse, J.
Electron spin resonance studies under dynamic mobile phase conditions on chemically modified silica 255
Miller, N. T., see Sagliano, Jr., N. 225
Montalvo, B. C., Villar, C. I., Hornillos, R. C. I. and Diez, L. P.
Determination of pterins in urine by high-performance liquid chromatography on C_{18} columns, conditioned with cetyl-trimethyl ammonium bromide 217
Mück, W., see Lee, E. D. 313
Najarian, D., see Cohen, A. S. 323
Olsen, B. A., see Snorek, S. V. 287
Parker, J. M. R., see Hodges, R. S. 147
Parris, N., see Barford, R. A. 57
Patterson, R. E., see Sagliano, Jr., N. 225
Perry, J. A., see Szczerba, T. J. 281
Petrusewicz, J., see Kaliszan, R. 395
Phillips, T. M.
——, Frantz, S. C., Babashak, J. V. and Chmielinska, J. J.
High-performance affinity isolation of lymphocyte membrane receptors on biotinylated antigen and avidin-coated beads 185
Pierson, D. A., see Snorek, S. V. 287
Pinkerton, T. C.
—— and Koeplinger, K. A.
High-performance liquid chromatographic separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 129
Pohl, C. A., see Slingsby, R. W. 241
Racine, M., see Vidal-Madjar, C. 13
Rassi, Z., El, see Corradini, D. 1
Sagliano, Jr., N.
——, Hartwick, R. A., Patterson, R. E., Woods, B. A., Bass, J. L. and Miller, N. T.
Stabilization of reversed phases for liquid chromatography. Applications of infrared spectroscopy for the study of bonded-phase stability 225
Sano, A.
——, Matsutani, S. and Takitani, S.
High-performance liquid chromatography of the antitumour agent triethylenethiophosphoramide and its metabolite triethylenephosphoramide with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 295
Schoenmakers, P. J.
——, Strasters, J. K. and Bartha, Á.
Correction of the resolution function for non-ideal peaks 355
Schultz, R., see Engelhardt, H. 79
Schweinheim, E., see Engelhardt, H. 79

Sébille, B., see Vidal-Madjar, C. 13
Sharma, R. R., see Hodges, R. S. 147
Shelly, D. C.
——, Antonucci, V. L., Edkins, T. J. and Dalton, T. J.
Insight into the slurry packing and bed structure of capillary liquid chromatographic columns 267
Singhal, R. P.
—— and Landes, J. P.
High-performance liquid chromatographic analysis of DNA composition and DNA modification by chloroacetaldehyde 117
Slingsby, R. W.
—— and Pohl, C. A.
Anion-exchange selectivity in latex-based columns for ion chromatography 241
Smith, J. A., see Cohen, A. S. 323
Snorek, S. V.
——, Olsen, B. A. and Pierson, D. A.
Liquid chromatographic determination of low-molecular-weight amides in pharmaceutical matrices 287
Strasters, J. K., see Schoenmakers, P. J. 355
Szczerba, T. J.
——, Baehr, D. N., Glunz, L. J., Perry, J. A. and Holdoway, M. J.
New packing and column for fast protein high-performance liquid chromatography 281
Takitani, S., see Sano, A. 295
Van den Broek, H. H., see Kootstra, P. R. 175
Várady, L.
——, Kalghatgi, K. and Horváth, Cs.
Rapid high-performance affinity chromatography on micropellicular sorbents 207
Vidal-Madjar, C.
——, Jaulmes, A., Racine, M. and Sébille, B.
Determination of binding equilibrium constants by numerical simulation in zonal high-performance affinity chromatography 13
Vijlder, J. J. M., de, see Kootstra, P. R. 175
Villar, C. I., see Montalvo, B. C. 217
Walters, R. R., see Wu, D. 169
White, A. E., see Barford, R. A. 57
Woods, B. A., see Sagliano, Jr., N. 225
Wright, A. G.
——, Fell, A. F. and Berridge, J. C.
Strategies for automated optimisation of high-performance liquid chromatographic separations incorporating diode-array detection 335
Wu, D.
—— and Walters, R. R.
Protein immobilization on silica supports. A ligand density study 169
Yoza, N., see Baba, Y. 385